

Volume Contents

Volume 80 (1996)

Regular papers

- Distinct differences in the requirements for ribonucleoprotein complex formation on differentially regulated pre-edited mRNAs in *Trypanosoma brucei***
D.J. Koslowsky, S.M. Kutas, K. Stuart (USA) 1
- Amodiaquine accumulation in *Plasmodium falciparum* as a possible explanation for its superior antimalarial activity over chloroquine**
S.R. Hawley, P.G. Bray, B.K. Park, S.A. Ward (UK) 15
- Biochemical analysis, gene structure and localization of the 24 kDa glutathione S-transferase from *Onchocerca volvulus***
E. Liebau, G. Wildenburg, P.M. Brophy, R.D. Walter, K. Henkle-Dührsen (Germany, UK) 27
- Cloning and characterization of cDNAs encoding putative glutamate transporters from *Caenorhabditis elegans* and *Onchocerca volvulus***
A.D. Radice, S. Lustigman (USA) 41
- Repetitive peptide motifs in the cuticlin of *Ascaris suum***
M. Bisoffi, S. Marti, B. Betschart (Switzerland) 55
- Telomere exchange can be an important mechanism of Variant Surface Glycoprotein gene switching in *Trypanosoma brucei***
G. Rudenko, R. McCulloch, A. Dirks-Mulder, P. Borst (The Netherlands) 65
- Identification of a family of Rab G-proteins in *Plasmodium falciparum* and a detailed characterisation of pfrab6**
F.A. de Castro, G.E. Ward, R. Jambou, G. Attal, V. Mayau, G. Jaureguiberry, C. Braun-Breton, D. Chakrabarti, G. Langsley (France, USA, Madagascar) 77
- Effects of aphidicolin and hydroxyurea on the cell cycle and differentiation of *Trypanosoma brucei* bloodstream forms**
M.C. Mutomba, C.C. Wang (USA) 89
- Cuticular collagen genes from the parasitic nematode *Ostertagia circumcincta***
I.L. Johnstone, Y. Shafi, A. Majeed, J.D. Barry (UK) 103

Short Communications

- Ancylostoma caninum* anticoagulant peptide: cloning by PCR and expression of soluble, active protein in *E. coli***
M. Cappello, J.M. Hawdon, B.F. Jones, W.P. Kennedy, P.J. Hotez (USA) 113
- Leishmania harreri* (Kinetoplastida; Trypanosomatidae) is more closely related to *Endotrypanum* (Kinetoplastida; Trypanosomatidae) than to *Leishmania***
H.A. Noyes, A.P. Camps, M.L. Chance (UK) 119

Regular papers

- Stage-specific expression of the *Leishmania mexicana* paraflagellar rod protein PFR-2**
L.L. Moore, C. Santrich, J.H. LeBowitz (USA) 125
- A cloned gene of *Cryptosporidium parvum* encodes neutralization-sensitive epitopes**
L. E. Perryman, D. P. Jasmer, M.W. Riggs, S.G. Bohnet, T.C. McGuire, M.J. Arrowood (USA) 137
- Discrete transcripts encode multiple chitinase isoforms in Brugian microfilariiae**
K. Arnold, A. Venegas, C. Houseweart, J.A. Fuhrman (USA) 149

A 22 kDa protein associated with the <i>Plasmodium falciparum</i> merozoite surface protein-1 complex.	
W.H.L. Stafford, B. Günder, A. Harris, H.-G. Heidrich, A.A. Holder, M. J. Blackman (UK, Germany)	159
Putative serine/threonine protein kinase expressed in complement-resistant forms of <i>Entamoeba histolytica</i>	
B. Urban, C. Blasig, B. Förster, C. Hamelmann, R.D. Horstmann (Germany)	171
Polysomal, procyclin mRNAs accumulate in bloodstream forms of monomorphic and pleomorphic trypanosomes treated with protein synthesis inhibitors	
S.V. Graham, J. David Barry (UK)	179
A chromatin-associated protein is encoded in a genomic region highly conserved in the <i>Plasmodium</i> genus	
C. Birago, T. Pace, S. Barca, L. Picci, M. Ponzi (Italy)	193

Short Communications

Reduction of dehydroascorbate by trypanothione	
R.L. Krauth-Siegel, H. Lüdemann (Germany)	203
Phylogenetic implication of iron-containing superoxide dismutase genes from trichomonad species	
E. Viscogliosi, I. Durieux, P. Delgado-Viscogliosi, D. Bayle, D. Dive (France)	209
Recombinant putative glutathione reductase of <i>Plasmodium falciparum</i> exhibits thioredoxin reductase activity	
S. Müller, T.-W. Gilberger, P.M. Färber, K. Becker, R.H. Schirmer, R.D. Walter (Germany)	215
Microsatellites of the parasitic nematode <i>Strongyloides ratti</i>	
M.C. Fisher, M.E. Viney (UK)	221

Contents of Volume 80	225
------------------------------	-----

Instructions to Authors

